

01. Mala of Medo dhatu is :

- |             |               |
|-------------|---------------|
| (1) Mutra   | (2) Sveda     |
| (3) Purisha | (4) Medo roga |

02. Takrarista is indicated in which disease ?

- |                |               |
|----------------|---------------|
| (1) Sandhivata | (2) Gridhrasi |
| (3) Urustambha | (4) Grahani   |

03. The synonym of Rasakriya is :

- |            |             |
|------------|-------------|
| (1) Kalka  | (2) Avaleha |
| (3) Churna | (4) Vati    |

04. According to Charak Samhita, Sankhapushpi should be used as Medhya Rasayana in form of :

- |             |            |
|-------------|------------|
| (1) Svarasa | (2) Churna |
| (3) Kalka   | (4) Kwatha |

05. Main Kalpana of Snehapana is :

- |           |               |
|-----------|---------------|
| (1) Vasti | (2) Yusha     |
| (3) Audan | (4) Acchapeya |

06. Use of Kalyanaka Ghrita is described in Kashyapa Samhita in :

- |                           |                           |
|---------------------------|---------------------------|
| (1) Vedanadhayaya         | (2) Lehadhayaya           |
| (3) Dantajanmika adhayaya | (4) Visesa Kalpa adhayaya |

07. Vamana is the choice of treatment in which type of ajirna :
- (1) Amajirna (2) Vidagdhajirna  
(3) Vistabdhajirna (4) Rasasesajirna
08. According to Charak Samhita, pure blood resembles the colour of :
- (1) Gunja phala (2) Bhallataka phala  
(3) Udumbara phala (4) Madhuka phala
09. Which of the following drug is **not** Yogavahi ?
- (1) Draksha (2) Pippali  
(3) Madhu (4) Ghrita
10. Gunja is enumerated in Gana called :
- (1) Upavisha (2) Visha  
(3) Mahavisha (4) Garavisha
11. Two cell stage reached at which period after fertilization :
- (1) 60 hours (2) 30 hours  
(3) 40 hours (4) 70 hours
12. Origination of Bones and cartilage are from :
- (1) Ectoderm (2) Mesoderm  
(3) Endoderm (4) Neoderm

13. Amniotic fluid Osmolarity at fetal maturity is :

- (1) 600 m Osmol/L
- (2) 500m Osmol/L
- (3) 150m Osmol/L
- (4) 250 m Osmol/L

14. Toxoplasmosis in pregnancy if treated with sulphadiazine leads to fetal :

- (1) Neural tube defect
- (2) Congenital Heart Disease
- (3) Kernicterus
- (4) CNS malformation

15. "Ritgen's maneuver" is followed in :

- (1) Breech delivery
- (2) Cephalic delivery
- (3) Face presentation
- (4) Shoulder presentation

16. Caudal regression syndrome in new born is seen in :

- (1) Gestational diabetes mellitus
- (2) Gestational hypertension
- (3) Gestational Hypothyroidism
- (4) Gestational Hyperthyroidism

17. Dosage of Aspirin in Antiphospholipid Antibody Syndrome is :

- (1) 500mg/day
- (2) 50mg/day
- (3) 200mg/day
- (4) 10mg/day

18. Large doses of Vitamin D administration causes fetal :
- (1) Aortic stenosis (2) Neural tube defect  
(3) Ventricular septal defect (4) IUGR
19. Oral hypoglycemic drug indicated in Gestational Diabetes mellitus is :
- (1) Glyburide (2) Glimepiride  
(3) pioglitazone (4) Glipizide
20. Grey baby syndrome is the teratological effect of :
- (1) Amikacin (2) Chloramphenicol  
(3) Metronidazole (4) Albendazole
21. In which weeks of pregnancy, Pregnancy Associated Plasma Protein-A (PAPP-A) test is done ?
- (1) 8-11 weeks (2) 14-18 weeks  
(3) 11-14 weeks (4) 18-21 weeks
22. As per Acharya Charaka yakrith yakrith and pleeha, are the :
- (1) Pitrij Bhava (2) Matrij Bhava  
(3) Rasaja Bhava (4) Satmyaja Bhava

23. As per Acharya Kashyapa complete formation of Shukra and its pravartana takes place at the age of :

- |              |              |
|--------------|--------------|
| (1) 25 years | (2) 21 years |
| (3) 20 years | (4) 16 years |

24. ....Garbha dharananaam shreshtam" :

- |            |                |
|------------|----------------|
| (1) Artava | (2) Shukra     |
| (3) Ritu   | (4) Sowmanasya |

25. According to Garbhopanishad development of Shira occurs in :

- |                            |                            |
|----------------------------|----------------------------|
| (1) 2nd month of pregnancy | (2) 3rd month of pregnancy |
| (3) 4th month of pregnancy | (4) 5th month of pregnancy |

26. As per chakrapani douhrida laxanas seen in which month of pregnancy ?

- |               |               |
|---------------|---------------|
| (1) 2nd month | (2) 3rd month |
| (3) 4th month | (4) 5th month |

27. Garbha-spurana chikitsa is done with ksheera prepared of :

- |                      |                   |
|----------------------|-------------------|
| (1) Nyagrodadi gana  | (2) Utpaladi gana |
| (3) Veerataradi gana | (4) Ushakadi gana |

28. "Mahati sanjatasare pushpa darshanam" is lakshana of :

- |                 |                  |
|-----------------|------------------|
| (1) Leenagarbha | (2) Upavistaka   |
| (3) Nagodara    | (4) Upashushkaka |

29. "Yasya na spandate garbha" is lakshana of :
- (1) Katambhara Jataharini (2) Revati jataharini  
(3) Parisruta Jataharini (4) Sthambhini Jataharini
30. Devadarvadi kwatha indicated in :
- (1) Garbhasrava (2) Garbhini Jwara  
(3) Sutika Roga (4) Vandhyatwa
31. "Violin string" like adhesions in the pelvis are suggestive of :
- (1) Trichomonal Infection (2) Monialial infection  
(3) Chlamydial Infection (4) Streptococcal infection
32. "Rubins test" done for confirmation of :
- (1) Tubal patency (2) Ovarian Reserve  
(3) Adenomyosis (4) Premalignant lesions
33. Monocyte Chemotactic protein (MCP-I) levels in peritoneal fluid are increased in :
- (1) Pelvic tuberculosis (2) Endometriosis  
(3) Ectopic pregnancy (4) Ovarian malignancey
34. Inadequate GnRH secreted in :
- (1) MRKH syndrome (2) Kallmanns syndrome  
(3) Turners syndrome (4) Klinefelters syndrome

35. Skene's gland abscess caused by :

- |                           |                           |
|---------------------------|---------------------------|
| (1) Candida albicans      | (2) Trichomonas vaginalis |
| (3) Chlamydia trachomatis | (4) Molluscum contagiosum |

36. High LH/FSH and low Estrogen is seen in :

- (1) Hypergonadotropic hypogonadism
- (2) Hypogonadotropic hypogonadism
- (3) Eugonadotropic hypogonadism
- (4) Premature Ovarian failure

37. Apadravya prayoga is nidana of yoni vyapath as per :

- |              |              |
|--------------|--------------|
| (1) Charaka  | (2) Sushruta |
| (3) Kashyapa | (4) Vagbhata |

38. Dosha pradhanyata in Upapluta yonivyapath is :

- |                 |                |
|-----------------|----------------|
| (1) Kapha+pitta | (2) Pitta+Vata |
| (3) Kapha+Vata  | (4) Tridoshaja |

39. "Yoni Asrik Shukra Doshagnam" is phala shruthi of :

- |                   |                              |
|-------------------|------------------------------|
| (1) Phala ghrith  | (2) Brihath Shatavari Ghrith |
| (3) Ashoka Ghrith | (4) Triphaladi Ghrith        |

40. "Karecran Janayati, Yonim Artavam Upaghnanti "are lakshana of :

(1) Yoni kanda

(2) Yoni arsha

(3) Yoni granthi

(4) Yoni arbuda