

01. Mala of Medo dhatu is :

- | | |
|-------------|---------------|
| (1) Mutra | (2) Sveda |
| (3) Purisha | (4) Medo roga |

02. Takrarista is indicated in which disease ?

- | | |
|----------------|---------------|
| (1) Sandhivata | (2) Gridhrasi |
| (3) Urustambha | (4) Grahani |

03. The synonym of Rasakriya is :

- | | |
|------------|-------------|
| (1) Kalka | (2) Avaleha |
| (3) Churna | (4) Vati |

04. According to Charak Samhita, Sankhapushpi should be used as Medhya Rasayana in form of :

- | | |
|-------------|------------|
| (1) Svarasa | (2) Churna |
| (3) Kalka | (4) Kwatha |

05. Main Kalpana of Snehapana is :

- | | |
|-----------|---------------|
| (1) Vasti | (2) Yusha |
| (3) Audan | (4) Acchapeya |

06. Use of Kalyanaka Ghrita is described in Kashyapa Samhita in :

- | | |
|---------------------------|---------------------------|
| (1) Vedanadhayaya | (2) Lehadhayaya |
| (3) Dantajanmika adhayaya | (4) Visesa Kalpa adhayaya |

- 07.** Vamana is the choice of treatment in which type of ajirna :
- (1) Amajirna (2) Vidagdhajirna
(3) Vistabdhajirna (4) Rasasesajirna
- 08.** According to Charak Samhita, pure blood resembles the colour of :
- (1) Gunja phala (2) Bhallataka phala
(3) Udumbara phala (4) Madhuka phala
- 09.** Which of the following drug is **not** Yogavahi ?
- (1) Draksha (2) Pippali
(3) Madhu (4) Ghrita
- 10.** Gunja is enumerated in Gana called :
- (1) Upavisha (2) Visha
(3) Mahavisha (4) Garavisha
- 11.** Fasanella Servat's operation is specially indicated in :
- (1) Congenital ptosis (2) Steroid induced ptosis
(3) Myasthenia gravis (4) Horner's syndrome
- 12.** Hirschberg test detects :
- (1) Dry eye (2) Squint
(3) Anterior chamber depth (4) Macular function

13. Downward and medial gaze is the action of :

- | | |
|----------------------|--------------------|
| (1) Inferior oblique | (2) Medial rectus |
| (3) Superior oblique | (4) Lateral rectus |

14. Feature of cortical blindness :

- (1) Absent direct and intact consensual reflex
- (2) Absent consensual but positive direct reflex
- (3) Absent direct and consensual reflex
- (4) Normal direct and consensual reflex

15. All are presentations of retinoblastoma except :

- | | |
|----------------|--------------|
| (1) Leucocoria | (2) Squint |
| (3) Cataract | (4) Glaucoma |

16. Painful eye movement is a feature of :

- | | |
|-------------------|-------------------|
| (1) Corneal ulcer | (2) Iridocyclitis |
| (3) Papillitis | (4) Papilloedema |

17. Rosette cataract occurs due to :

- | | |
|--------------|-------------------------|
| (1) Trauma | (2) Copper foreign body |
| (3) Diabetes | (4) Hyperparathyroidism |

18. Treatment of choice for acute angle closure glaucoma is :

- | | |
|-----------------|-----------------|
| (1) Timolol | (2) Pilocarpine |
| (3) Latanaprost | (4) Atropine |

19. D' shaped pupil is seen in :

- | | |
|---------------|-------------------------|
| (1) Glaucoma | (2) Dislocation of lens |
| (3) Scleritis | (4) Iridodolysis |

20. Phylcten occurs due to :

- | | |
|------------------------|-----------------------|
| (1) Endogenous allergy | (2) Exogenous allergy |
| (3) Degeneration | (4) All of the above |

21. Measurement of *Taraka* as per *Sushruta* is :

- (1) one third of the size of Netra
- (2) One ninth of the size of Netra
- (3) One seventh of the size of Netra
- (4) None of the above

22. Swedana karma in eye should be :

- | | |
|--------------|--------------------|
| (1) Mridu | (2) Madhyam |
| (3) Teekshan | (4) As per diacase |

23. Kukkutandarasopanam is a feature of :

- | | |
|---------------|--------------|
| (1) Pothaki | (2) Lagana |
| (3) Utsangini | (4) Kumbhika |

24. Amlanjana should be kept in a container made up of :

- | | |
|-------------|-------------|
| (1) Swarana | (2) Rajata |
| (3) Tamra | (4) Kanshya |

25. Chhaglivit saprabham is the feature of :

- | | |
|-------------------|--------------------|
| (1) Akshipakatyā | (2) Ajakajata |
| (3) Avarna shukra | (4) Savrana shukra |

26. Ashophakshipaka is categorized as :

- | | |
|---------------------|----------------------|
| (1) Vartmagata roga | (2) Drishtigata roga |
| (3) Shuklagata Roga | (4) Sarvagata roga |

27. Which of the following pair is treated by similar shastrakarma (Surgical procedure) ?

- | | |
|------------------------|-------------------------|
| (1) Lagana and Pothaki | (2) Arma and Sirajala |
| (3) Pothaki and Arma | (4) Utsangini and Alaji |

28. Horner's syndrome is characterized by :

- (1) Ipsilateral-ptosis, miosis and anhidrosis of face
- (2) Ipsilateral- lagophthalmos, miosis and anhidrosis of face
- (3) Contralateral-ptosis, miosis and anhidrosis of face
- (4) Contralateral- lagophthalmos, miosis and anhidrosis of face

29. According to Sushrut Samhita Darunaka is caused by the vitiation of :

- (1) Vatapitta
- (2) Kaphavata
- (3) Vaatarakta
- (4) Kaphapitta

30. Orbital cellulitis is usually caused by :

- (1) Stye
- (2) Blepharitis
- (3) Conjunctivitis
- (4) Ethmoidal sinusitis

31. Age of onset of strabismus is :

- (1) 3 to 5 months
- (2) 1 to 2 years
- (3) 5 years
- (4) 7 years

32. Risk factor/s for development of Diabetic Retinopathy include/s :

- (1) Duration of Diabetes
- (2) Hereditary
- (3) Pregnancy
- (4) All of the above

33. Amsler's grid is used in :
- | | |
|-----------------------------|---------------------------|
| (1) Detecting colour vision | (2) Retinal function test |
| (3) Maculopathy | (4) Refractive errors |
34. Which of the paranasal sinuses is called Antrum of High more ?
- | | |
|---------------------|----------------------|
| (1) Maxillary Sinus | (2) Frontal sinus |
| (3) Ethmoidal sinus | (4) Sphenoidal sinus |
35. Sikata vartma is described by :
- | | |
|------------------|---------------|
| (1) Yogaratnakar | (2) Madhavkar |
| (3) Charak | (4) Vagbhatt |
36. Which one of these diseases is Asadhya ?
- | | |
|----------------|------------|
| (1) Adhimantha | (2) Alajee |
| (3) Akshipaka | (4) upnaha |
37. Dose of Prasadana Anjana is :
- | | |
|----------------|-------------------------|
| (1) One harenu | (2) One and half harenu |
| (3) two harenu | (4) two and half harenu |
38. Jalarbhuda is a :
- | | |
|-------------------------|--------------------|
| (1) Oshthagata roga | (2) Dantagata roga |
| (3) Dantamoolagata roga | (4) Jivhagata roga |

39. Number of Avyadh siras in Nasa are :

- | | |
|----------|-----------|
| (1) Four | (2) Three |
| (3) Five | (4) Nine |

40. The most common cause of vitreous haemorrhage is :

- | | |
|--------------|---------------------|
| (1) Diabetes | (2) Hypertension |
| (3) Trauma | (4) Lens extraction |