

01. Mala of Medo dhatu is :

- | | |
|-------------|---------------|
| (1) Mutra | (2) Sveda |
| (3) Purisha | (4) Medo roga |

02. Takrarista is indicated in which disease ?

- | | |
|----------------|---------------|
| (1) Sandhivata | (2) Gridhrasi |
| (3) Urustambha | (4) Grahani |

03. The synonym of Rasakriya is :

- | | |
|------------|-------------|
| (1) Kalka | (2) Avaleha |
| (3) Churna | (4) Vati |

04. According to Charak Samhita, Sankhapushpi should be used as Medhya Rasayana in form of :

- | | |
|-------------|------------|
| (1) Svarasa | (2) Churna |
| (3) Kalka | (4) Kwatha |

05. Main Kalpana of Snehapana is :

- | | |
|-----------|---------------|
| (1) Vasti | (2) Yusha |
| (3) Audan | (4) Acchapeya |

06. Use of Kalyanaka Ghrita is described in Kashyapa Samhita in :

- | | |
|---------------------------|---------------------------|
| (1) Vedanadhayaya | (2) Lehadhayaya |
| (3) Dantajanmika adhayaya | (4) Visesa Kalpa adhayaya |

07. Vamana is the choice of treatment in which type of ajirna :
- (1) Amajirna (2) Vidagdhajirna
(3) Vistabdhajirna (4) Rasasesajirna
08. According to Charak Samhita, pure blood resembles the colour of :
- (1) Gunja phala (2) Bhallataka phala
(3) Udumbara phala (4) Madhuka phala
09. Which of the following drug is **not** Yogavahi ?
- (1) Draksha (2) Pippali
(3) Madhu (4) Ghrita
10. Gunja is enumerated in Gana called :
- (1) Upavisha (2) Visha
(3) Mahavisha (4) Garavisha
11. According to *Vagbhat*, in which month "*Bhumi upbishtan*" is indicated :
- (1) 6th month (2) 10th month
(3) 5th month (4) 8th month
12. In *Kashyap Samhita*, "*Chudakarniya*" chapter is found in which *Sthana* ?
- (1) *Sutra sthana* (2) *Sharira sthana*
(3) *Vimana sthana* (4) *Khila sthana*

13. *Asthi* and *Majja* are involved in eruption of teeth. It is described in :
- (1) *Kashyapa Sam. Khilasthana*
 - (2) *Ashtanga Sam. Uttar tantra*
 - (3) *Shushruta Sam. Uttara tantra*
 - (4) *Harita Sam. Sutrasthana*
14. According to *Shusruta samhita*, which one is true for *Danta Pawan* (*Datuna*) in regards to its length ?
- (1) 12-Angula long
 - (2) 8-Angula long
 - (3) 6-Angula long
 - (4) 10-Angula long
15. In a child, which of the following condition for *Lehana* is not indicated ?
- (1) *Deeptagani*
 - (2) *Vatika & Pattika roga*
 - (3) *Kamala*
 - (4) *Niramaya*
16. In Neonatology, the Late neonatal period is described as :
- (1) 1st 40 days after birth
 - (2) 28th weeks onwards
 - (3) From 7th days of life to 28th day
 - (4) Last weeks of pregnancy
17. In neonatology, the early fetal death is described as :
- (1) Death of fetus GA of less than 22 weeks
 - (2) Death of fetus weight less than 2500 gm
 - (3) Death of fetus having CHL more than 25 cm
 - (4) Death of fetus in 1st week after birth

18. In phototherapy unit, the most effective light ranged from :

- | | |
|------------------|------------------|
| (1) 425 to 475nm | (2) 350 to 400nm |
| (3) 500 to 575nm | (4) 150 to 349nm |

19. *Ashta Ksheer Dosha* was describe by :

- | | |
|-----------------------------|-----------------------------|
| (1) <i>Sushruta Samhita</i> | (2) <i>Charaka Samhita</i> |
| (3) <i>Harita Samhita</i> | (4) <i>Kashyapa Samhita</i> |

20. Ambupurna is kept in category of :

- | | |
|-------------------------|------------------------|
| (1) <i>Matrija roga</i> | (2) <i>Sahaja roga</i> |
| (3) <i>Pitrija roga</i> | (4) Genetic disease |

21. The neural tube defects (NTD) is due to deficiency of :

- | | |
|----------------|-----------------|
| (1) Calcium | (2) Magnesium |
| (3) Folic acid | (4) Lactic acid |

22. Low level of maternal serum alpha foetoprotein (MSAFP) is found in :

- | | |
|------------------------------|-------------------------------|
| (1) Open neural tube defects | (2) Intra uterine fetal death |
| (3) Down's syndrome | (4) Renal anomalies |

23. *Upsheershaka* is due to vitiation of :

- | | |
|------------------------|------------------------|
| (1) <i>Vata dosha</i> | (2) <i>Pitta dosha</i> |
| (3) <i>Kapha dosha</i> | (4) <i>Rakta dosha</i> |

24. Hypoplastic or absence of pituitary gland results :
- | | |
|------------------|----------------------|
| (1) Anencephaly | (2) Meningomyelocele |
| (3) Hydrocephaly | (4) Cephalohematoma |
25. The best time for antenatal steroids should be given at :
- | | |
|--------------|--------------|
| (1) 34 weeks | (2) 37 weeks |
| (3) 40 weeks | (4) 20 weeks |
26. The umbilical cord compression is due to :
- | | |
|--------------------|---------------------|
| (1) Polyhydramnios | (2) Oligohydramnios |
| (3) Chorioamnitis | (4) Amnioinfusion |
27. In *Kshreerada* child, *Kukunaka* is a :
- | | |
|-----------------------|-----------------------|
| (1) <i>Karna-roga</i> | (2) <i>Nasa-roga</i> |
| (3) <i>Mukha-roga</i> | (4) <i>Netru-roga</i> |
28. In a breast feeder, the cough, dyspnea, fever and vomiting may be developed due to :
- | | |
|------------------------|------------------------------|
| (1) Over erect breasts | (2) Tense (engorged) breasts |
| (3) Corpulent breasts | (4) Dangling breasts |
29. Removal of *Ulba (vernix caseosa)* is done by :
- | | |
|---------------------------------|--------------------------------|
| (1) <i>Saindhava and taila</i> | (2) <i>Saindhava and madhu</i> |
| (3) <i>Saindhava and ghrita</i> | (4) <i>Madhu and majja</i> |

30. *Phenasanghata Stanya dushti* is responsible for :
- (1) Pinasa (2) Kukunaka
(3) Phakka roga (4) Kandu roga
31. Extensor response of planter reflex up to age of 18 month shows :
- (1) Upper motor neuron lesion (2) Lower motor neuron lesion
(3) Normal (4) None of the above
32. The breast of the mother should be washed just before the breast feeding. In which of the following *Grantha*, this opinion is mentioned ?
- (1) *Bhava Prakash Nighantu* (2) *Charak Samhita*
(3) *Sharangdhar Samhita* (4) *Paraskar Grihaya Sutra*
33. As per Ayurveda, medicated cow's or goat's milk should be given in a state of :
- (1) Availability of breast milk (2) Excessive breast milk
(3) Unavailability of breast milk (4) None of the above
34. As per *Kashyapa samhita*, How much quantity of *Aushadh* is given with *Ghrita* in eight month ?
- (1) $1/4^{\text{th}}$ part of sneha as per disease
(2) $1/8^{\text{th}}$ part of sneha as per disease
(3) $1/6^{\text{th}}$ part of sneha as per disease
(4) $1/10^{\text{th}}$ of sneha as per disease

35. Which of the following drug is not used for the *Dhoopana* of clothes of *Kumara* ?
- (1) Vacha (2) Jatamansi
(3) Vayastha (4) Brahimi
36. According to *Sushruta*, *Jaatakarma* and *Annaprashan Samshara* should be performed
- (1) After the birth and at 6th month
(2) After the birth and on 60th month
(3) After the birth and at 7th month
(4) After the death and on fifth day
37. Which one of the following drug is not considered *Stanya shodhaka* ?
- (1) *Paatha* (2) *Mahaushadha*
(3) *Surdaru* (4) *Kusha*
38. In which of the following condition, *Karnavedhana* should not be performed ?
- (1) *Ajeerna* and *Vibandha*
(2) *Ajeerna*, *Malodreka* and in extreme heat
(3) *Ajeerna*, *Tvaka roga* and extreme cold
(4) *Ajeerna*, *Vibandha* and *Tvaka roga*

39. White and red strawberry tongue is sign produced by which one of the following causative organism ?
- (1) Group A streptococci
 - (2) Group B streptococci
 - (3) Group B Hemolytic streptococci
 - (4) Pseudomonas aeruginosa
40. Brudzinski's sign is found positive in which one of the following disease ?
- (1) Enteric fever
 - (2) Kala ajar
 - (3) Ahiputana
 - (4) Meningitis